



# LIDO A 49DP

Technical data



## A. CHASSIS

Emissions rating	Euro 6
Fiat 6 2,3 130 Hp 35 L	X
Fiat 6 2,3 150 Hp 35 L	O
Homologation extended weight from 35 L on 36,5 L	O

## B. DIMENSIONS AND WEIGHTS

Body length (mm)	7234
Total width (mm)	2330
Total height (mm)	3075
Internal height (mm)	2090/2290
Max authorized weight (kg)	3500
Wheel base (mm)	4035
No. of homologated seats incl. driver's seat	6
Mass in running order (MRO) ( kg )	2932
Max towing weight (kg)	2000
Max loading weight (kg)	568

## C. CHASSIS EQUIPMENT

Chassis type	standard
Corner legs	O
Spare wheel FIAT	O
Spare wheel holder	O
Tyre pressure monitoring system FIAT	O
Wheel trims-bigger	O
ABS + EBD	X
Robotized gear box FIAT	O
Fix&Go Kit (instead of spare wheel) Fiat	X
Colored front shock bumper white	O
Front fog lights	O
Rear fog lights	X
Double electric door mirror with demist. function	O
Radio preinstallation with loud-speakers	O
Antenna integrated in mirrors	O
Covers for seats pedestal	O
LED daytime running lights Fiat	O
DRL-halogen daytime running lights	X
Reinforced camping car tires	X
Front drive	X
Fuel tank (L)	90
Fuel tank 120 L	O
Manual transmission	X
Traction + system with HDC	O
ESP	O
Cruise control with speed limiter FIAT(2,3 engines only)	O
Towing hook with el. conn.	O
Motorbike holder (150 kg)	O
Steel wheels 16" (light 35 L version only)	O
16" wheels with alloy rims for "Ducato Light"	O
Mud protection for front wheels FIAT	O
Mud protection for rear wheels	O

## D. CABIN EQUIPMENT

Manual air condition FIAT	O
Integrated car radio with CD, MP3 and steering wheel controls FIAT	O
Intergrated car radio high-level CD, MP3 steering wheel controls and navigation FIAT	O
Radio controls on steering wheel without car radio Fiat	O
Lock "Dead Locking"	O

Fiat comfort package CP0 (including 082, 5A0, 50E)	O
Fiat comfort package CP1 (including 7KM, CJ1, NHR/416, 4GF)	O
Fiat comfort package 7KM (including 025, 041, 081)	O
Electric cabin windows (left, right)	X
Cabin seats adjustable in height and deepness	X
Cabin seats upholstered in living room textile	O
Cabin seats covering in living room textile	O
Front seats Captain chair with double armrest upholstered in living room textile	O
Trip computer	X
Driver airbag	X
Co-driver airbag	O
Driver and codriver sun-visors	X
Central cup holder	O
Darker cabin windows	X
Cabin obscuration with barrier curtain	X

## E. BODY

Side walls in polyester	white
Bodywork in polyester	white
Side wall skirtings in aluminium	X
Luggage door - right (light dimensions) (cm)	80x120
Luggage door - left (light dimensions) (cm)	80x120
Entrance door 1-part without window	X
Flyscreen for entrance door without window	O
Adria windows - darker	X
Roof light 400 x400 mm in living space	X
Roof light 400 x400 mm in bedroom	X (not P1)
Roof ventilation Vecam 110 mm in toilet	X (not P1)
Gas bottle compartment, integrated 1 x 11 kg	X
Gas bottle compartment, integrated 2 x 11 kg	O
External electric entrance step	X
Entrance step with insulation	X
Rear lights holder - lower	X
Third break light	X
Roof light 700 x500 mm in bedroom	X (P1 only)
Roof light 400 x400 mm in toilet	X (P1 only)

## F. INTERIOR EQUIPMENT

Overall sleeping places	6
Sleeping area, rear berths (cm)	210x145-126
Alcoven bed (cm)	210x140
Front dinette (cm)	190x100
ISOFIX installation for child safety seat	O
Bed with slatted frame and special foam	X
Furniture decor	SAMT ULME
Standard textile combination	MT02G4 FORTUNA
Optional textile combination	MT02D6 DUBAI
Optional textile combination	MT02D3 LION
Optional textile combination	MT02D2 RICA
Dinette cushions - special foam 120 mm	X
Decorative pillows (4 pcs) 42x42 cm	O
Bed coverlet	O
Blanket	O
Carpets in living compartment and cabin	O

## G. KITCHEN EQUIPMENT

Cooker 3 flame, with cover	X
Inox sink	X
Refrigerator	100 L (150 L with P1)

## H. BATHROOM EQUIPMENT

WC chemical, turnable, passive ventilated	X
---	---

Shower tray	X
Separate shower cabin with solid door	X
Separate shower faucet	X
<b>I. WATER INSTALLATIONS</b>	
Fresh water tank with external inlet (L)	90
Waste water tank (L)	85
Waste water omission tube	O
Submersible water pump	X
Waste water tank isolated with adjustable heating 85L	O (P1 only)
<b>J. ELECTRICITY</b>	
Additional battery 100Ah, AGM, k=10	O
Power sockets	X
Sockets 12 V	X
Main security switch for 230 V	X
Main electric switch 12 V	X
Ceiling LED lights	X
Spot LED lights	X
Ambient LED lights	O
Awning LED light	X
Electro block	X
Control panel	X
Fire extinguisher	O
<b>K. HEATING/AIR CONDITIONING</b>	
Heater Truma Combi 4 with boiler	X
Heater Truma Combi 6 with boiler	O
Gas-electric heater Truma Combi 4E with boiler	O
Gas-electric heater Truma Combi 6E with boiler	O
Luggage box - heated	X
Electric floor heating with transformer	O (P1 only)
<b>L. GAS</b>	
Gas regulator Truma MonoControl CS 30 mbar GV	X
<b>M. AUDIO/MDEO</b>	
Preinstallation for TV (230 V, 2x 12 V, antenna socket)	X
TV cupboard / place for TV	X